Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 13, June 30, 2011

For the Period June 21 to 27, 2011

Haying is underway in some areas of the province. Very little spring seeding took place this past week and the province remains at 82 per cent seeded. Thunderstorms in some areas resulted in varying amounts of precipitation over the last week.

One year ago
Haying was underway. A week of sunny and windy weather helped to dry some areas and improve crop conditions.

Across the province, topsoil moisture on cropland is rated as 44 per cent surplus, 55 per cent adequate and one per cent short. Hay and pasture topsoil moisture is rated as 38 per cent surplus, 61 per cent adequate and one per cent short.

Sixty-two per cent of the oilseeds, 56 per cent of the pulse crops and 59 per cent of the spring cereals are behind normal in development. Fifty-seven per cent of the fall cereals are at normal stages of development.

Seventy-seven per cent of the winter wheat, 81 per cent of the spring wheat, 80 per cent of the durum, 75 per cent of the canola, 79 per cent of the lentils and 77 per cent of the field peas are in good to fair condition. The majority of crop damage is due to flooding, hail and disease.

The majority of livestock producers are reporting adequate water supplies. Pasture conditions across the province are rated as 41 per cent excellent, 48 per cent good, eight per cent fair, two per cent poor and one per cent very poor.

Farmers are busy scouting crops, controlling weeds and crop disease, and starting to cut hay.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

The southeast region recorded rain in varying amounts, however, it was not as severe as previous weeks. Warm and sunny weather is needed to help crops recover from excess moisture, and begin with haying operations. Precipitation reported ranges from trace amounts to 44 mm. Some livestock producers are hoping to seed green feed crops in the next couple of weeks. Some acres that were seeded are now flooded. Many areas of the region are now dealing with flooded houses, yards, and land underwater. Flooding closed a few main highways and interrupted train traffic in the region.

The Frobisher area reported 6 mm of rain, the Moosomin area 20 mm, the Whitewood area 44 mm, the Weyburn area 8 mm, the Vibank area 19 mm, the Indian Head are 23 mm, the Marquis area 14 mm, the Ceylon area 6 mm and the Radville area reported no rain for the week. The Weyburn area has recorded 391 mm of rain since April 1.

The continuous rain has halted field work for many weeks now. The majority of the producers in the region continue to struggle with wet and flooded conditions. Access to fields is a major issue as roads are washed out, flooded or very soft. Weed control is a concern now as weeds are starting to get ahead of the crop in many areas and fields are too wet to spray.

Topsoil moisture conditions on crop land are 74 per cent surplus and 26 per cent adequate. Hay and pasture land is rated as 65 per cent surplus and 35 per cent adequate.
Crop districts 1B and 2A are reporting 92 and 95 per cent surplus crop land topsoil moisture, respectively. Flooding is the cause of most crop damage. Crops are showing signs of excess moisture stress. Leaf diseases are started to show up. Hail damage was reported in the Whitewood area.

Seventy-eight per cent of the spring cereals, 63 per cent of the fall cereals, 82 per cent of the oilseeds and 75 per cent of the pulse crops are behind normal in development.

Crop reporters are predicting there will be many acres of hay land that will not be accessible. Crop reporters have indicated that haying has yet to begin in the region. Pasture conditions are rated as 42 per cent excellent, 43 per cent good, 12 per cent fair, two per cent poor and one per cent very poor. Crop reporters in CD 2A are rating pastures as 28 per cent excellent, 47 per cent good, 20 per cent fair and five per cent poor.

Producers are hoping for clear skies and good drying weather.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Most areas in the region recorded rain for the week, ranging from nil to 62 mm. The Lisieux area recorded 43 mm of rain, the Limerick area 15 mm, the Gravelbourg area 46 mm, the Central Butte area 12 mm, the Cadillac area 62 mm, the Shaunavon area 23 mm, the Stewart Valley area 51 mm, the Kyle area 34 mm, the Gull Lake area 20 mm and the Leader area eight mm. The Big Beaver area has recorded 424 mm since April 1.

A few livestock producers have started to cut the 2011 hay crop. Pasture conditions in the region are rated as 60 per cent excellent, 37 per cent good and three per cent fair. Some crop reporters have indicated they may seed some greenfeed crops if the land dries up enough in the next couple of weeks.

Crop conditions vary greatly in the region, depending on where the rain has been recorded and when crops were seeded. The rain over the past couple of weeks has flooded out some areas that were seeded. Producers are hoping for warm and sunny weather as all spring seeded crops are behind normal in development. Seventy-one per cent of the fall cereals are at normal stages of development. Seventy-one per cent of the spring cereals, 72 per cent of the oilseeds and 65 per cent of the pulse crops are behind normal in development.

Access to fields is difficult due to impassable roads in some areas. Sprayers are getting stuck, as fields are very wet in most areas making weed control operations difficult.

Cropland topsoil moisture is rated as 40 per cent surplus and 60 per cent adequate. Hay land and pasture topsoil moisture is rated as 34 per cent surplus, 65 per cent adequate and one per cent short. CD 3ASW is reporting crop land topsoil moisture as 65 per cent surplus and 35 per cent adequate. Crop damage is mostly due to flooding. Hail damage was reported in the Cadillac and Shaunavon areas. Rust has been reported in some winter wheat fields.

Farmers are busy controlling weeds and disease getting ready for haying. Producers are hoping for clear skies and good drying weather.

East-Central Saskatchewan (Crop Districts 5 and 6a)

A few livestock producers have started to cut the 2011 hay crop. The amount of rain reported varied from trace amounts to 36 mm. The Stockholm area has recorded 294 mm of rain since April 1.

The Yorkton area recorded 36 mm of rain, the Kelliher area 8 mm, the Abernethy area 5 mm, the Kelvington area 33 mm, the Lintlaw and Quill Lake areas 31 mm, the

Lumsden area 27 mm, the Craik area 20 mm, the Kenaston area 26 mm and the Humboldt area 22 mm.

Field access is an issue in some areas on the eastern and southern side of the region due to washed out or flooded roads. There are some areas that have missed the heavy rains and crops are reported to have good potential. Weed control operations are difficult due to wet ground in many areas. This is a major concern as many fields have heavy weed growth. With the heavy rainfall over the past couple of weeks in some areas, some acres are expected to be lost due to flooding. Some heat is needed.

The majority of crop damage is due to flooding, hail and disease. Hail was reported in the Yorkton, Jedburgh, Leroy and Meacham areas. Leaf diseases are starting to show up. Rust has been reported in winter wheat. There are areas in fields starting to yellow due to flooding and excess moisture stress. Some heat is needed to help the crops recover. Some crop reporters have indicated there are several crop stages within one field.

Cropland topsoil moisture is rated as 50 per cent surplus and 50 per cent adequate. Hay land and pasture topsoil moisture is rated as 42 per cent surplus and 58 per cent adequate.

Fifty per cent of the fall cereals, 64 per cent of the spring cereals and 65 per cent of the oilseeds are behind normal in development. Fifty-six per cent of the pulse crops are at normal stages of development.

Pasture conditions are rated as 31 per cent excellent, 60 per cent good, six per cent fair, and three per cent poor.

Farmers are busy controlling weeds and disease, seeding green feed crops and getting ready for haying.

West-Central Saskatchewan (Crop Districts 6B and 7)

A few livestock producers have started cutting hay. Rain and thundershowers were reported in much of the region.

The Langham area reported 53 mm of rain, the Sonningdale area reported 19 mm, the Rosetown area 27 mm, the Biggar area 15 mm, the Smiley and Macklin areas 21 mm, the Kerrobert area 17 mm, the Major area 32 mm and the Lusland area 18 mm. Total rainfall recorded since April 1st, ranges from 59 to 157 mm.

Topsoil moisture conditions are rated as 17 per cent surplus, 81 per cent adequate and two per cent short. Hay land and pasture topsoil moisture conditions are rated as 10

per cent surplus, 88 per cent adequate and two per cent short. There was some minor flooding in fields in areas that received significant rain.

Crop damage is mostly due to flooding. Crops in some areas are showing signs of excess moisture stress. Hail was reported in the Outlook and Kerrobert areas. Leaf diseases have also been reported. A small funnel cloud was spotted near Glenside on June 21. Emergence has been a bit spotty in some areas due to little moisture. The recent rains will help improve the crop conditions. Now that the moisture was received, heat is now needed to get the crops, hayland and pastures growing. The recent warm weather has helped advance crops, hay and pasture land. Pasture conditions are rated as 27 per cent excellent, 65 per cent good and eight per cent fair.

Sixty-seven per cent of the fall cereals, 53 per cent of the spring cereals, 53 per cent of the oilseeds and 59 per cent of the pulse crops are at normal stages of development. Farmers are controlling weeds, scouting crops and getting ready for haying.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

A few livestock producers have started cutting hay. Some crop reporters have indicated the spring frost has delayed the hay crops somewhat. Most areas received rain ranging from 7 to 38 mm. Total rainfall in the region since April 1st, ranges from 45 mm to 216 mm.

The Star City area reported 34 mm of rain, the Tisdale area 38 mm, the Nipawin area 11 mm, the Lake Lenore area 15 mm, the Alvena area 30 mm, the Birch Hills area 32 mm and the Prince Albert area 30 mm. With the recent moisture, heat is needed to get the crops caught up.

Topsoil moisture on cropland is rated as 68 per cent surplus and 32 per cent adequate. Topsoil moisture on hay and pasture land is reported as 57 per cent surplus and 43 per cent adequate. Pasture conditions are rated as 41 per cent excellent, 46 per cent good, 10 per cent fair and three per cent poor.

The majority of crop damage is due to flooding. The significant precipitation amounts recorded over the past two weeks have stressed crops in many parts of the region. Some acres are expected to be lost to flooding. Crops that looked good two weeks ago, now are yellowing and some are under water. Leaf diseases are starting to show up. Fields are very wet and getting a ground sprayer in is difficult in some areas. Aerial applicators are very busy.

Seventy-four per cent of the fall cereals, 63 per cent of the spring cereals are at normal stages of development. Of the oilseeds, four per cent are ahead of normal and 49 per cent are at normal stages of development. Of the pulse crops, two per cent are ahead of normal and 56 per cent are at the normal stages of development.

Farmers are busy controlling weeds and getting ready for haying.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Livestock producers in the region have yet to start haying. Many are expecting to start in the next couple of weeks. Some are seeding green feed and swath grazing crops. Rain was recorded in varying amounts as thunderstorms rolled through the region. Many areas recorded heavy rain for the week with the northwest part of the region receiving much more than other areas.

Precipitation ranged from nil to 178 mm. The Meadow Lake and Dorintosh areas reported 101 and 178 mm for the week, respectively. Th Radisson area recorded 12 mm, the Duck Lake area 24 mm, the Debden area nine mm, the North Battleford area 14 mm, the Edam area 28 mm, the Frenchman Butte area 27 mm, the Turtleford area 11 mm and the Pierceland area 20 mm. Total rainfall recorded in the region since April 1st ranges from 78 to 311 mm.

Crops that had patchy germination are now filling in with recent rain. Some producers are applying a second application for weed control as the moisture has brought on another flush of weeds. The rain was good timing for the hay crops. There has been some flooding in areas causing road washouts and farmyard access issues. The areas that received the heavy rain also had hail which many predict damaged crops quite a bit. Some of these crops are not expected to recover due to excess moisture and hail damage.

Cropland top soil moisture is reported as 12 per cent surplus, 86 per cent adequate, one per cent short and one per cent very short. Hay and pasture topsoil moisture is rated as three per cent surplus, 95 per cent adequate, one per cent short and one per cent very short. Pasture conditions are rated as 19 per cent excellent, 56 per cent good, 16 per cent fair, six per cent poor and three per cent very poor.

Fifty-four per cent of the fall cereals, 64 per cent of the spring cereals, 50 per cent of the oilseeds and 70 per cent of the pulse crops are at normal stages of development.

Crop damage included flooding and hail. Hail damage was reported in the Radisson, North Battleford, Meadow Lake and Pierceland areas. In the Meadow Lake area, hail covered the ground 4 to 5 inches deep. Cutworms and leaf diseases are also causing damage.

Farmers are busy controlling weeds and getting ready for haying.

South east SK Crop conditions- June 27, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	2	3	0	1	0	2	1
% good	61	90	32	31	29	38	21
% fair	30	5	41	37	52	27	39
% poor	7	2	20	28	12	29	34
% very poor	0	0	7	3	7	4	5
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	1	0	1	1	0	N/A	
% good	34	53	27	22	7	N/A	
% fair	38	29	41	32	52	N/A	
% poor	21	18	25	37	40	N/A	
% very poor	6	0	6	8	1	N/A	

South west SK Crop conditions- June 27, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	26	35	14	16	8	10	10
% good	54	44	55	56	62	62	39
% fair	17	21	28	25	26	27	39
% poor	3	0	3	3	4	1	12
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	6	17	18	9	18	12	
% good	55	49	55	59	60	22	
% fair	34	30	26	28	17	62	
% poor	5	4	1	4	5	4	
% very poor	0	0	0	0	0	0	

East central SK Crop conditions- June 27, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	26	31	12	24	12	17	11
% good	48	29	53	57	42	47	52
% fair	20	40	28	19	42	28	36
% poor	6	0	5	0	3	6	1
% very poor	0	0	2	0	1	2	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	15	28	25	29	21	N/A	
% good	47	56	43	49	28	N/A	
% fair	30	16	28	18	44	N/A	
% poor	6	0	4	4	7	N/A	
% very poor	2	0	0	0	0	N/A	

West central SK Crop conditions- June 27, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	0	0	12	9	9	11	1
% good	94	83	72	72	71	73	73
% fair	6	9	16	18	20	15	25
% poor	0	8	0	1	0	1	1
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	17	5	18	9	0	0	
% good	58	72	67	74	68	81	
% fair	20	21	15	17	31	19	
% poor	5	2	0	0	1	0	
% very poor	0	0	0	0	0	0	

North east SK Crop conditions- June 27, 2011						
	Winter wht	Fall rye	Spring wht	Oat	Barley	Flax
% excellent	30	21	20	13	17	9
% good	48	46	40	46	45	48
% fair	15	18	31	31	28	40
% poor	7	8	9	10	9	3
% very poor	0	7	0	0	1	0
	Canola	Mustard	Pea	Lentil	Canaryseed	
% excellent	18	0	11	5	10	
% good	39	65	49	70	53	
% fair	28	25	31	22	30	
% poor	15	10	8	3	7	
% very poor	0	0	1	0	0	

North west SK Crop conditions- June 27, 2011					
	Winter wht	Fall rye	Spring wht	Oat	Barley
% excellent	0	N/A	9	16	11
% good	88	N/A	67	56	60
% fair	13	N/A	21	25	25
% poor	0	N/A	1	2	2
% very poor	0	N/A	2	1	2
	Flax	Canola	Pea	Lentil	
% excellent	0	12	23	0	
% good	53	50	57	32	
% fair	47	26	15	68	
% poor	0	10	3	0	
% very poor	0	2	2	0	

SK (provincial)Crop conditions- June 27, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	18	26	11	13	10	11	5
% good	57	52	54	54	49	55	35
% fair	20	21	27	26	34	25	38
% poor	5	1	6	7	5	8	20
% very poor	0	0	2	0	2	1	2
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	12	12	16	9	6	12	
% good	45	54	51	54	41	31	
% fair	30	29	26	25	38	53	
% poor	11	5	6	10	15	4	
% very poor	2	0	1	2	0	0	

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending June 27, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 29, 2011

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period June 21 to 27, 2011

Crop Dist.	R.M. Past No.	Name	Week	Since 1-Apr
1A	1	Argyle	N/A	155
	2	Mount Pleasant	N/A	206
	3	Enniskillen	6	237
	33	Moose Creek	9	248
	34	Browning	N/A	312
	61	Antler	N/A	139
	63	Moose Mountain	4	263
	64	Brock	1	251
	65	Tecumseh	N/A	357
1B	91	Maryfield	NIL	274
	92	Walpole	N/A	266
	95	Golden West	9	298
	122	Martin	20	375
	123	Silverwood	12	278
	124 A	Kingsley	NIL	238
	124 B	Kingsley	N/A	N/A
	125	Chester	10.2	287
	151 A	Rocanville	3	381
	151 B	Rocanville	2	326
	153	Willowdale	44	315
	154	Elcapo	N/A	236
	155	Wolseley	2	254
2A	66	Griffin	N/A	316
	67	Weyburn	NIL	379
	68	Brokenshell	8	391
	69	Norton	6	307
	97	Wellington	4	328
2B	127 A	Francis	7.5	260
	127 B	Francis	18.8	201
	129	Bratt's Lake	5.5	233
	156	Indian Head	23	258
	160 A	Pense	N/A	117
	160 B	Pense	4	142
	161	Moose Jaw	7	150
	191	Marquis	14	126
3ASE	7	Souris Valley	N/A	N/A
	38 A	Laurier	NIL	332
	38 B	Laurier	2	366
	39 A	The Gap	6	274
	39 B	The Gap	NIL	343
3ASW	10	Happy Valley	9	424
	11	Hart Butte	N/A	83
	12	Poplar Valley	25	286
	40	Bengough	10	419
	42	Willow Bunch	43	325
	43	Old Post	19	295
	44 A	Waverley	11	247
	44 B	Waverley	N/A	227
	70	Key West	N/A	267
	71	Excel	N/A	320
	73 A	Stonehenge	15.3	279
	73 B	Stonehenge	N/A	293
	74	Wood River	10	213
3AN	101	Terrell	12	236
	102	Lake Johnston	8.6	236
	103	Sutton	46	270
	134	Shamrock	N/A	193
	164	Chaplin	19	225
	193 A	Eyebrow	12	132
	193 B	Eyebrow	14	152
	194	Enfield	12	144
3BS	17	Val Marie	62	363
	18	Lone Tree	N/A	191
	45	Mankota	20	312
	75 A	Pinto Creek	19	254
	75 B	Pinto Creek	13	232
	76 A	Auvergne	20	207
	76 B	Auvergne	12	193
	77	Wise Creek	N/A	196
	78 A	Grassy Creek	19	211
	78 B	Grassy Creek	16	245
	78 C	Grassy Creek	23	194
	105	Glenbain	4	251
	106	Whiska Creek	9	211
	107	Lac Pelletier	N/A	113
	108	Bone Creek	5	240
3BN	138	Webb	29	178
	166	Excelsior	28	181
	167	Sask. Landing	50.8	218
	168	Riverside	2	157
	226	Victory	N/A	121
	228	Lacadena	29	118
	255	Coteau	N/A	N/A
	257	Monet	34.5	106

Crop Dist.	R.M. Past No.	Name	Week	Since 1-Apr
4A	49	White Valley	N/A	141
	49 A	White Valley	N/A	153
	51	Reno	5.1	242
	79	Arlington	40	187
	109	Carmichael	20	230
	110	Piapot	NIL	104
	111	Maple Creek	N/A	98
4B	139	Gull Lake	14	158
	141	Big Stick	4	112
	142	Enterprise	3	117
	169	Pittville	N/A	57
	171	Fox Valley	8	95
	229	Miry Creek	N/A	N/A
	231	Happyland	8	105
5A	183	Fertile Belt	2	294
	186	Abernethy	5	171
	211	Churchbridge	5	214
	213	Saltcoats	NIL	186
	216	Tullymet	3	159
	217	Lipton	9	119
	241	Calder	N/A	157
	243	Wallace	36	199
	245 A	Garry	11	125
	245 B	Garry	N/A	150
	246	Ituna Bon Accord	NIL	126
	247	Kellross	8	118
	248	Touchwood	5	75
5B	271	Cote	7	129
	276	Foam Lake	N/A	42
	277	Emerald	16	149
	305	Invermay	10.1	152
	307	Elfros	9	157
	308	Big Quill	7	70
	333 A	Clayton	N/A	NIL
	333 B	Clayton	N/A	139
	334	Preeceville	N/A	108
	335	Hazel Dell	31	154
	336	Sasman	4	134
	337	Lakeview	31	157
	338	Lakeside	22	111
	366	Kelvington	33	147
6A	189	Lumsden	27.3	188
	190 A	Dufferin	7	128
	190 B	Dufferin	11	153
	190 C	Dufferin	13	107
	190 D	Dufferin	N/A	132
	219	Longlaketon	2	72
	220	Mckillop	11	120
	221	Sarnia	17	151
	222	Craik	20	142
	251	Big Arm	8	128
	252	Arm River	8	121
	279	Mount Hope	10	125
	280	Wreford	N/A	114
	282	McCraney	26	121
	309	Prairie Rose	3	92
	313	Lost River	3	83
	339	Leroy	7.4	71
	340	Wolverine	22	90
	341	Viscount	19	86
	343	Blucher	3	94
6B	283	Rosedale	16.5	61
	284	Rudy	16	82
	285	Fertile Valley	27	143
	286	Milden	N/A	112
	314	Dundurn	N/A	72
	344	Corman Park	53	147
	346	Perdue	38	138
	376 A	Eagle Creek	N/A	118
	376 B	Eagle Creek	19	138
	403	Rosthern	14	118
7A	260 A	Newcombe	N/A	102
	260 B	Newcombe	5	96
	261	Chesterfield	N/A	58
	287	St. Andrews	7	68
	288	Pleasant Valley	27	88
	290 A	Kindersley	0.1	59
	290 B	Kindersley	N/A	66
	292	Milton	N/A	80
	317 A	Marriott	22	157
	317 B	Marriott	10	100
	318 A	Mountain View	N/A	N/A
	318 B	Mountain View	15	98
	320 A	Oakdale	9.5	82
	320 B	Oakdale	10	66
	321	Prairiedale	21	113

Crop Dist.	R.M. Past No.	Name	Week	Since 1-Apr
7B	347 A	Biggar	16	139
	347 B	Biggar	17	105
	350 A	Mariposa	14	130
	350 B	Mariposa	17	116
	351	Progress	15	92
	352	Heart's Hill	32	150
	377	Glenside	26	144
	378 A	Rosemount	16	140
	378 B	Rosemount	N/A	162
	379	Reford	N/A	102
	380	Tramping Lake	15	102
	381	Grass Lake	18	95
	409 A	Buffalo	7	134
	409 B	Buffalo	17	119
	410	Round Valley	7.6	82
	411	Senlac	21	124
8A	395	Porcupine	21	170
	397	Barrier Valley	N/A	116
	428	Star City	34	103
	456	Arborfield	15	112
	457	Connaught	38	182
	458	Willow Creek	21	164
	486	Moose Range	7	103
	487	Nipawin	11	114
8B	369	St. Peter	15	45
	370	Humboldt	10	77
	371 A	Bayne	N/A	71
	371 B	Bayne	N/A	N/A
	372	Grant	16.8	131
	402	Fish Creek	30	152
	429	Flett's Springs	23	149
	430	Invergordon	N/A	N/A
	431	St. Louis	N/A	N/A
	459	Kinistino	28	170
	460	Birch Hills	32	185
9AE	461	Prince Albert	29.5	157
	488 A	Torch River	26	216
	488 B	Torch River	N/A	NIL
	491	Buckland	14.1	87
9AW	406	Mayfield	12	97
	435	Redberry	27	141
	436	Douglas	4	81
	463	Duck Lake	24	137
	464	Leask	18	114
	467 A	Round Hill	7.3	78
	467 B	Round Hill	5	131
	494	Carnwood	9	147
	496	Spiritwood	N/A	53
	497	Medstead	N/A	127
9B	438	Battle River	14	125
	440	Hillsdale	7	90
	442	Manitou Lake	11.5	122
	468 A	Meota	N/A	32
	468 B	Meota	27.9	132
	468 C	Meota	NIL	117
	498 A	Parkdale	12	172
	498 B	Parkdale	13	119
	499	Mervin	10.7	138
	501 A	Frenchman Butte	16	146
	501 B	Frenchman Butte	3	85
	501 C	Frenchman Butte	27	164
	561	Loon Lake	9	123
	588 A	Meadow Lake	23	126
	588 B	Meadow Lake	N/A	125
	588 C	Meadow Lake	101	293
	588 D	Meadow Lake	178	311
	622	Beaver River	20	109

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2011
To: June 27, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 3.0, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 29, 2011

Cropland Topsoil Moisture Conditions

June 28, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 29, 2011

Hay and Pasture Topsoil Moisture Conditions

June 28, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 29, 2011

Pasture Conditions

June 28, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Pasture status - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 29, 2011

Availability of Livestock Water

June 28, 2011



Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Livestock water - Saskatchewan Ministry of Agriculture
Crop Report Database

Prepared by: Geomatics Services Date: June 29, 2011